

with Multiple Use



LN340C (NA)

Screen Size	32"
Stand Type	2 pole
Resolution	1,366 × 768 (HD)
front color	Ceramic Black
Speaker	5 W + 5 W (2.0 ch)
Broadcasting System	ATSC / Clear QAM/VSB, Analog NTSC



Easy Group Control

The LN340C supports SuperSign Control+ Free version which can manage up to 100 displays through a single account and server. Power, volume, and scheduling can be remotely adjusted, and firmware updates supported.



Compatibility with AV Control Systems

The LN340C has Crestron Connected® Certification, a function that is dedicated to meeting room and that meets the growing need in corporate meeting space market.

 $\mbox{\rm *}$ It is a network based control system. Available AV control systems may differ by regions.



On/Off Time Setting

Create your own time scheduler of your Commercial TV. Once you set opening / closing hours and holidays, the TV will turn on/off according to work schedule.



USB Cloning

USB data cloning makes managing multiple displays more efficient for optimal operation. Instead of setting up each display one by one, data can be copied to a USB for one display and can be sent to the other displays through a USB plug-in.

* USB is not provided by LG. FAT32 or NTFS formatting is recommended.



Display Power Management

DPM (Display Power Management) can be configured to be On only when there is a TV signal present to manage power efficiently.




External Speaker Out

Enhance the entertainment experience with an additional speaker (sold separately). Guests can listen to the TV audio from other rooms within their suite, not only the room where the TV is located.

* Use only with the 3 pole 3.5 mm stereo jack when connecting external speakers.


DIMENSION (unit: mm)



CONNECTIVITY

32"

Rear



Side

HDMI IN USB IN MEZ68822665 2 (eARC/ARC) + C+

* Dimensions & Jack Panels may differ from the above image, so please contact LG sales team to verify before ordering.







