

C2G 14ft (4.3m) TAA-Compliant F-Series Cat6 Snagless Shielded (STP) Network Cable - Gray Part No. AVD CG C2G43717



This Cat6 cable meets stringent TAA compliant requirements and is approved for use in United States government projects and facilities. Protect a high speed network from noise and electromagnetic interference when connecting with our Snagless Shielded Cat6 patch cable. This Snagless Shielded Cat6 network cable is designed for network adapters, hubs, switches, routers, servers and more. Meets or exceeds all ANSI/TIA-568.2-D Category 6 industry standards for supporting a wide variety of applications, including 1000BASE-T (1 Gigabit Ethernet). Constructed with premium, made in the USA copper cabling with aluminum foil shield designed to counter EMI, RFI, and alien crosstalk. Available in a wide variety of colors to easily color-code a network installation.

Features & Benefits

reatures & De	Henris				
TAA-compliant			Constructed with high quality, made in the USA raw cable for consistent, reliable performance		
Snagless RJ45 connector design protects clips from being easily snapped off – great for applications with high insertion cycles			Standard RJ45 connectors and unshielded twisted pair wires		
50-micron gold-plated contacts improve signal integrity			Available in a variety of colors and lengths up to 25ft		
Lifetime warranty					
Specifications					
General Info					
Product Line	C2G	Color	Blue		

UPC Number 757120437178 Country Of Origin Mexico Features PoE (Power Over Ethernet) Commercial, Industrial, Residential Application Sector Warranty Type Lifetime Туре Cable **Dimensions** Product Length US 14.0 FT Cable Length 14 ft

REACH Compliant

Yes

CE Certified

Listing Agencies / 3rd Party Agencies

Yes

Buy American Act Compliance TAA Compliant Yes

Technical Information

Jacket Material	PVC (Polyvinyl Chloride)	Wire Gauge	26 AWG
Jacket Application	Riser Rated	Cable Type	Booted, Ethernet Patch Cable, Shielded (STP)
Jacket Rating	CMR Rated	Cable Diameter	6 mm
Connector 2	RJ-45 Male	Connector 1	RJ-45 Male