



C2G
5ft (1.5m) TAA-Compliant F-Series Cat5e Snagless Shielded (STP) Network Cable - Gray
Part No. AVD_CG_C2G43426



This Cat5e shielded network patch cable meets stringent TAA compliant requirements and is approved for use in United States government projects and facilities. This Snagless Shielded Cat5e network cable is designed for network adapters, hubs, switches, routers, servers and more. Constructed with premium, made-in-the-USA copper cabling, its aluminum foil shield helps prevent RFI and EMI from affecting data transmission over the cable, making it an ideal solution for noisy environments. Meets or exceeds all ANSI/TIA-568.2-D Category 5e industry standards for supporting a wide variety of applications, including 1000BASE-T (1 Gigabit Ethernet). The molded boot provides extra strain relief and durability.

Features & Benefits

TAA-compliant	Constructed with high quality, made in the USA raw cable for consistent, reliable performance
Snagless RJ45 connector design protects clips from being easily snapped off – great for applications with high insertion cycles	Standard RJ45 connectors - Al foil shield, 100% coverage
50-micron gold-plated contacts improve signal integrity	Available in a variety of colors and lengths up to 25ft
Lifetime warranty	

Specifications

General Info

Product Line	C2G	Color	Blue
UPC Number	757120434269	Country Of Origin	Mexico
Features	PoE (Power Over Ethernet)	Application Sector	Commercial, Industrial, Residential
Warranty Type	Lifetime	Type	Cable

Dimensions

Product Length US	5.0 FT	Cable Length	5 ft
-------------------	--------	--------------	------

Listing Agencies / 3rd Party Agencies

CE Certified	Yes	REACH Compliant	Yes
--------------	-----	-----------------	-----

Buy American Act Compliance

TAA Compliant Yes

Technical Information

Jacket Material PVC (Polyvinyl Chloride) Wire Gauge 26 AWG

Jacket Application Riser Rated Cable Type Booted, Ethernet Patch Cable, Shielded (STP)

Jacket Rating CMR Rated Cable Diameter 5.6 mm

Connector 2 RJ-45 Male Connector 1 RJ-45 Male
