

9ft (2.7m) TAA-Compliant F-Series Cat6 Snagless Unshielded (UTP) Network Cable - Blue Part No. AVD CG C2G43452



This Cat6 cable meets stringent TAA compliant requirements and is approved for use in United States government projects and facilities. This Snagless Unshielded Cat6 network cable is designed for network adapters, hubs, switches, routers, servers and more. Meets or exceeds all ANSI/TIA-568.2-D Category 6 industry standards for supporting a wide variety of applications, including 1000BASE-T (1 Gigabit Ethernet). Constructed with premium, made in the USA copper cabling with enhanced 600 MhZ maximum frequency for increased performance over standard Cat6 cables. The molded, snagless boot prevents unwanted cable snags during installation and provides extra strain relief. Available in a wide variety of colors to easily color-code your network installation.

## Features & Benefits

TAA-compliant			Constructed with high quality, made in the USA raw cable for consistent, reliable performance		
Snagless RJ45 connector design protects clips from being easily snapped off – great for applications with high insertion cycles				Standard RJ45 connectors and unshielded twisted pair wires	
50-micron gold-plated contacts improve signal integrity				Available in a variety of colors and lengths up to 100ft	
Lifetime warranty					
Specifications					
General Info					
Product Line	C2G	Color		Blue	
UPC Number	757120434528	Country	Of Origin	Mexico	
Features	PoE (Power Over Ethernet)	Applicat	ion Sector	Commercial, Industrial, Residential	
Warranty Type	Lifetime	Туре		Cable	
Dimensions					
Product Length US	9.0 FT	Cable Le	ength	9 ft	
Listing Agencies / 3r	rd Party Agencies				

REACH Compliant

Yes

Yes

**CE** Certified

## Buy American Act Compliance

TAA Compliant Yes

## Technical Information

Jacket Material	PVC (Polyvinyl Chloride)	Wire Gauge	24 AWG
Jacket Application	Riser Rated	Cable Type	Booted, Ethernet Patch Cable, Unshielded (UTP)
Jacket Rating	CMR Rated	Cable Diameter	5.6 mm
Connector 2	RJ-45 Male	Connector 1	RJ-45 Male