



C2G
10ft (3m) TAA-Compliant F-Series Cat6 Non-Booted Unshielded (UTP) Network Cable - Pink
Part No. AVD_CG_C2G43704

This Cat6 cable meets stringent TAA compliant requirements and is approved for use in United States government projects and facilities. This non-booted unshielded Cat6 network cable is designed for network adapters, hubs, switches, routers, servers and more. Meets or exceeds all ANSI/TIA-568.2-D Category 6 industry standards for supporting a wide variety of applications, including 1000BASE-T (1 Gigabit Ethernet). Constructed with premium, made in the USA copper cabling with enhanced 600 Mhz maximum frequency for increased performance over standard Cat6 cables. Available in a wide variety of colors to easily color-code your network installation.



Features & Benefits

| | |
|--|---|
| TAA-compliant | Constructed with high quality, made in the USA raw cable for consistent, reliable performance |
| Standard RJ45 connectors and unshielded twisted pair wires | 50-micron gold-plated contacts improve signal integrity |
| Available in lengths up to 25ft | Lifetime warranty |

Specifications

General Info

| | | | |
|---------------|---------------------------|--------------------|-------------------------------------|
| Product Line | C2G | Color | Blue |
| UPC Number | 757120437048 | Country Of Origin | Mexico |
| Features | PoE (Power Over Ethernet) | Application Sector | Commercial, Industrial, Residential |
| Warranty Type | Lifetime | Type | Cable |

Dimensions

| | | | |
|-------------------|---------|--------------|-------|
| Product Length US | 10.0 FT | Cable Length | 10 ft |
|-------------------|---------|--------------|-------|

Listing Agencies / 3rd Party Agencies

| | | | |
|--------------|-----|-----------------|-----|
| CE Certified | Yes | REACH Compliant | Yes |
|--------------|-----|-----------------|-----|

Buy American Act Compliance

| | |
|---------------|-----|
| TAA Compliant | Yes |
|---------------|-----|

Technical Information

| | | | |
|--------------------|--------------------------|----------------|--|
| Jacket Material | PVC (Polyvinyl Chloride) | Wire Gauge | 24 AWG |
| Jacket Application | Riser Rated | Cable Type | Booted, Ethernet Patch Cable, Unshielded (UTP) |
| Jacket Rating | CMR Rated | Cable Diameter | 5.6 mm |
| Connector 2 | RJ-45 Male | Connector 1 | RJ-45 Male |
