



FLOOR & ON-WALL MOUNTED  
KIOSK SOLUTIONS

# MAKE AN IMPACT

**IMPACT™ SERIES**







# IMPACT™ SERIES



# IMPACT™ SERIES Floor Mounted Kiosks

**Chief is answering your need to house digital content for wayfinding, advertising and self-service applications. Our kiosk designs are easily serviceable, flexible and attractive. Impact™ Floor Mounted and On-Wall Kiosks are available now.**


Impact™ Kiosks enhance interactive installations like:

- Ordering stations within quick-service restaurants
- Digital signage options replacing traditional static wayfinding and advertising
- E-commerce in brick and mortar stores, allowing customers to browse and order products not found on-shelf
- Municipal and government applications for advertising, wayfinding, surveillance, charging and security

The NEW Chief Impact™ Floor Mounted Portrait Kiosks provide an aesthetic solution for enclosing displays in open areas. Designed with no exposed fasteners while maintaining full access and serviceability. Our exclusive design keeps the display mounted to the frame when opened. Keyed locking security keeps displays safe, and a universal AV Storage plate holds supporting equipment.







**IMPACT™ SERIES**  
Floor Mounted Kiosks




**SERVICABILITY**



**KEYED LOCKING**



**CABLE PATHWAYS**



**UNIVERSAL DESIGN**

- Unparalleled front service and maintenance access
- Aesthetically pleasing with no exposed fasteners
- Keyed locking security
- Tool free removable storage panels
- Universal AV storage space
- Internal knockouts for electrical junction boxes and 2RU rack spaces
- External cable pathway knockouts
- Integrated passive cooling
- Available in black and white
- UL Listed
- Custom colors, logos and protective glass can be special ordered

**Freestanding Base Options**

Freestanding base accessories preserve floor finishes, and accommodate movement of kiosks in temporary installations. Bases are offered in single-sided and back-to-back configurations. Tested and approved to UL 2442 ensuring safety for interactive use and servicing - see Accessories page for more details.




# IMPACT™ SERIES

## Floor Mounted Kiosks

### DIMENSIONS & COMPATIBILITY


#### Single Sided

Model	Color	Weight Capacity	Mounting Patterns	Max Display Depth	Max TV Width	Max TV Height	Image Diagonal (A)	Overall Width (B)	Overall Height (C)	Overall Dept (D)	Side Bezels (E)	Top Bezels (F)								
LF40UBP	Black	100 lbs. (45.3 kg)	200 x 200 mm 300 x 300 mm 400 x 400 mm	3.5" (88.9mm)	43" (1092.2 mm)	26" (660.4 mm)	40"	31.28" (794.5 mm)	73.76" (1873.5 mm)	8.5" (216 mm)	5.84" (148.3 mm)	7.2" (182.8 mm)								
LF40UWP	White						42"				5.44" (138.1 mm)	5.95" (151.1 mm)								
LF42UBP	Black						43"				5.19" (131.8 mm)	5.75" (146 mm)								
LF42UWP	White						46"				4.39" (111.5 mm)	4.2" (106.6 mm)								
LF43UBP	Black						47"				4.14" (105.1 mm)	3.8" (96.5 mm)								
LF43UWP	White						48"				3.89" (98.8 mm)	3.5" (88.9 mm)								
LF46UBP	Black						125 lbs. (56.7 kg)				300 x 300 mm 400 x 400 mm 600 x 400mm	3.5" (88.9mm)	51" (1295.4 mm)	30" (762.0 mm)	49"	35.25" (895.4 mm)	77.13" (1959.2 mm)	8.5" (216 mm)	5.73" (164.5 mm)	6.48" (164.5 mm)
LF49UBP	White														50"				5.48" (139.1 mm)	6.08" (154.3 mm)
LF49UWP	Black														55"				4.23" (107.3 mm)	3.83" (97.2 mm)
LF50UBP	White																			
LF50UWP	Black																			
LF55UBP	White																			



#### Back To Back

Model	Color	Weight Capacity	Mounting Patterns	Max Display Depth	Max TV Width	Max TV Height	Image Diagonal (A)	Overall Width (B)	Overall Height (C)	Viewing Area Width (D)	Side Bezels (E)	Top Bezels (F)								
LF40UBP-B2B	Black	100 lbs. (45.3 kg)	200 x 200 mm 300 x 300 mm 400 x 400 mm	3.5" (88.9mm)	43" (1092.2 mm)	26" (660.4 mm)	40"	31.28" (794.5 mm)	73.76" (1873.5 mm)	8.5" (216 mm)	5.84" (148.3 mm)	7.2" (182.8 mm)								
LF40UWP-B2B	White						42"				5.44" (138.1 mm)	5.95" (151.1 mm)								
LF42UBP-B2B	Black						43"				5.19" (131.8 mm)	5.75" (146 mm)								
LF42UWP-B2B	White						46"				4.39" (111.5 mm)	4.2" (106.6 mm)								
LF43UBP-B2B	Black						47"				4.14" (105.1 mm)	3.8" (96.5 mm)								
LF43UWP-B2B	White						48"				3.89" (98.8 mm)	3.5" (88.9 mm)								
LF46UBP-B2B	Black						125 lbs. (56.7 kg)				300 x 300 mm 400 x 400 mm 600 x 400mm	3.5" (88.9mm)	51" (1295.4 mm)	30" (762.0 mm)	49"	35.25" (895.4 mm)	77.13" (1959.2 mm)	8.5" (216 mm)	5.73" (164.5 mm)	6.48" (164.5 mm)
LF49UBP-B2B	White														50"				5.48" (139.1 mm)	6.08" (154.3 mm)
LF49UWP-B2B	Black														55"				4.23" (107.3 mm)	3.83" (97.2 mm)
LF50UBP-B2B	White																			
LF50UWP-B2B	Black																			
LF55UBP-B2B	White																			



#### AV STORAGE CAPACITIES

**Image diagonals 40" - 48"**  
(H x W x D) 20" x 28.1" x 5.84"  
(508 mm x 715 mm x 148 mm)

**Image diagonals 49" - 55"**  
(H x W x D) 16.7" x 32.1" x 5.84"  
(423 mm x 814 mm x 148 mm)

Note: Add "G" to end of SKUs for bonded 5/32" (4 mm) tempered glass providing protection for your LCD display.




# IMPACT™ SERIES

## On-Wall Kiosks

The Impact™ On-Wall Kiosk brings new flexibility to the digital signage enclosure market while maintaining a sleek aesthetic to complement a variety of environments. A depth-adjustable exterior frame allows for a variety of displays to be used. Reversible hinges help avoid installation and service obstructions, and the exclusive design keeps the display mounted to the frame when opened, providing unparalleled service and maintenance access.

Chief's newest Landscape On-Wall Kiosk includes a scissor-arm extension providing unparalleled service and maintenance access by extending the display up to 8" (203 mm) from the wall. A large interior area accommodates Chief PAC in-wall boxes and other storage components for clean, aesthetic cable management and organization.



**DEPTH ADJUSTMENT**



**KIOSK LATCH**



**LEVER LOCK™**



**VENTILATION LOUVERS**



- Depth-adjustable exterior frame
- Unparalleled service and maintenance access
- Integrated passive cooling vents with active thermal management options
- Designed to compensate for uneven walls, keeping front of frame flat
- Tamperproof security hardware protects technology investments
- Tool-free on-wall storage with Middle Atlantic's Lever Lock™ technology
- Optimize storage using Chief's PAC Series In-Wall Storage Boxes
- Available in black and white
- Custom colors, logos and protective glass can be special ordered
- UL Listed

# IMPACT™ SERIES

## On-Wall Kiosks

### DIMENSIONS & COMPATIBILITY

#### Portrait On-Wall Kiosks

Model	Color	Weight Capacity	Mounting Patterns	Max Display Depth	Max TV Width	Max TV Height	Image Diagonal (A)	Overall Width (B)	Overall Height (C)	Overall Depth (D)	Side Bezels (E)	Top/Bottom Bezels (F)
LW40UBP	Black	100 lbs. (45.3 kg)	200 x 200 mm 300 x 300 mm 400 x 400 mm	3.75" (95.3 mm)	38.2" (970.3 mm)	23.4" (594.4 mm)	40"	26.0" (660.4 mm)	43.0" (1092.2 mm)	3-5" (76-127 mm)	3.20" (81.3 mm)	4.4" (113.0 mm)
LW40UWP	White						42"				2.80" (71.1 mm)	3.2" (81.3 mm)
LW42UBP	Black						43"				2.55" (64.8 mm)	3.0" (76.2 mm)
LW42UWP	White						46"				3" (76.2 mm)	3.2" (81.3 mm)
LW43UBP	Black						47"				2.75" (69.9 mm)	2.8" (71.1 mm)
LW43UWP	White						48"				2.5" (63.5 mm)	2.5" (63.5 mm)
LW46UBP	Black	100 lbs. (45.3 kg)	300 x 300 mm 400 x 400 mm	3.75" (95.3 mm)	43" (1092.2 mm)	26" (660.4 mm)	46"	28.5" (723.9 mm)	46.5" (1181.1 mm)	3-5" (76-127 mm)	3" (76.2 mm)	3.2" (81.3 mm)
LW46UWP	White						47"				2.75" (69.9 mm)	2.8" (71.1 mm)
LW47UBP	Black						48"				2.5" (63.5 mm)	2.5" (63.5 mm)
LW47UWP	White						49"				4.35" (109.2 mm)	6.1" (154.9 mm)
LW48UBP	Black						50"				4.1" (104.1 mm)	5.7" (144.8 mm)
LW48UWP	White						55"				2.85" (72.4 mm)	3.45" (87.6 mm)
LW49UBP	Black	125 lbs. (56.7 kg)	300 x 300 mm 400 x 400 mm	3.75" (95.3 mm)	51" (1295.4 mm)	30" (762.0 mm)	49"	32.5" (825.5 mm)	54.5" (1384.3 mm)	3-5" (76-127 mm)	3.7" (94 mm)	5.15" (129.5 mm)
LW49UWP	White						50"				4.1" (104.1 mm)	5.7" (144.8 mm)
LW50UBP	Black						55"				2.85" (72.4 mm)	3.45" (87.6 mm)
LW50UWP	White						65"				3.7" (94 mm)	5.15" (129.5 mm)
LW55UBP	Black						70"				2.45" (61 mm)	2.95" (74.9 mm)
LW55UWP	White						75"				2.5" (63.5 mm)	3.25" (82.6 mm)
LW65UBP	Black	175 lbs.* (79.4 kg)	300 x 300 mm 400 x 400 mm 600 x 400 mm 600 x 600 mm	3.75" (95.3 mm)	63" (1600.2 mm)	36.5" (927.1 mm)	65"	39" (990.6 mm)	66.5" (1689.1 mm)	3-5" (76-127 mm)	3.7" (94 mm)	5.15" (129.5 mm)
LW65UWP	White						70"				2.45" (61 mm)	2.95" (74.9 mm)
LW70UBP	Black						75"				2.5" (63.5 mm)	3.25" (82.6 mm)
LW70UWP	White											
LW75UBP	Black											
LW75UWP	White											

#### Landscape On-Wall Kiosks

LW49UB	Black	125 lbs (56.7 kg)	200 x 200mm 300 x 300 mm 400 x 400 mm	3.4" (86.4mm)	51.75" (1314.5 mm)	32" (762.0 mm)	49"	53.25" (1352.5 mm)	33.5" (850.9 mm)	3-5" (76-127 mm)	5.48" (139.1 mm)	4.85" (123.2 mm)
LW49UW	White						50"				5.1" (128.9 mm)	4.6" (116.8 mm)
LW50UB	Black						55"				2.78" (70.6 mm)	3.33" (84.5 mm)
LW50UW	White											
LW55UB	Black											
LW55UW	White											

\*175 lbs. for wood stud, plywood backed steel stud, block & concrete. 125 lbs. in steel stud.

Note: Add "G" to end of SKUs for bonded 5/32" (4 mm) tempered glass providing protection for your LCD display.

[WATCH THE VIDEO](#)


#### SPECIFICATIONS

**Orientation:** Portrait and Landscape


**Exterior Frame Depth Range:** 3 - 5" (76 - 127mm)

**On-Wall Storage Depth (J):** Dependent on dept of display and desired frame depth; see Side of Frame view and below equations for details


- **Overall Kiosk Depth:**  $D = 1.25" + K$
- **On-Wall Storage Depth:**  $J = D - K - 3/4"$




Front of Frame



Front of Frame



Side of Frame



# IMPACT™ SERIES


## Floor & On-Wall ACCESSORIES



**RLNK-215**  
PDU with RackLink™



**FWD-SIDECLMP-4**  
AV Storage Mounting Clamps



**FHBUL**  
VESA Adapter Bracket Extends  
VESA range up to 200 mm


## Additional Floor ACCESSORIES



**DCFANKIT-4**  
100 CFM Active  
Cooling Fan



**UCP-FAN**  
15 CFM Active  
Cooling Fan



**PACLFB, PACLFW**  
Single-Sided  
Freestanding Base




**PACLFB-B2B, PACLFW-B2B**  
Back-to-Back  
Freestanding Base

## Additional On-Wall ACCESSORIES




**PAC525, PAC526 & PAC527**  
In-Wall Storage Boxes

Note: Compatible with Portrait and Landscape On-Wall Kiosks



**LL-VP2110**  
Lever Lock™ 21x10" (533 x 254mm)  
On-Wall AV Storage Tray

Note: Only compatible with Portrait On-Wall Kiosk



**PACFANI**  
Active Thermal Management Fan Kit  
Options

Note: Only compatible with Portrait On-Wall Kiosk



INSTALLER INSPIRED | [legrandav.com](http://legrandav.com)

**USA** P 866.977.3901 E [av.chief.support@legrand.com](mailto:av.chief.support@legrand.com)  
**CANADA** P 877.345.4329 E [av.chief.canada@legrand.com](mailto:av.chief.canada@legrand.com)  
**EMEA** P +31 495 580 840 E [av.emea.sales@legrand.com](mailto:av.emea.sales@legrand.com)  
**APAC** P +852 2145 4099 E [av.asia.sales@legrand.com](mailto:av.asia.sales@legrand.com)

©2020 Legrand AV Inc. 200024 8/20 Chief is a registered trademark of Legrand AV Inc. All other brand names or marks are used for identification purposes and are trademarks of their respective owners. All patents are protected under existing designations. Other patents pending.



**COMMERCIAL BRANDS**

C2G | Chief | Da-Lite | Luxul | Middle Atlantic | Vaddio | Wiremold