

C-USB3/AB USB 3.0 A (M) to B (M) Cable



Kramer's C-USB3/AB is a SuperSpeed USB 3.0 Type-A male to Type-B male cable used to connect computers and peripherals, such as printers, scanners, cameras, keyboards, mice and other digital devices for superior signal transfer of up to 4.8Gbps

FEATURES

USB 3.0 A Male to B Male Transfer Rates up to 4.8Gbps - 10x the capability of USB 2.0 Foil & Overall Braid Provide Maximum Protection Against EMI/RFI Molded Strain Relief Backward Compatibility - USB Specifications 1.0, 1.1 and 2.0 RoHS Compliant Varied Selection of Lengths - Available in versions of 3 to 6ft (0.9 to 1.8m) Note - The cable's color can vary in some cases



TECHNICAL SPECIFICATIONS

OVERALL	TYPE: USB 3.0 SuperSpeed
	MAX. DATA RATE: 4.8 Gbps
PHYSICAL	CONNECTOR A: USB 3.0 type-A male
	CONNECTOR B: USB 3.0 type-B male
	CONNECTOR PLATING: Nickel
	CONDUCTORS: 28/24AWG
	CABLE SHIELD TYPE: Aluminum-Mylar Foil with Braid
	OVERALL SHEATH DIAMETER: 5.5mm
	OUTER SHEATH COLOR: Blue
REGULATORY	STANDARDS: 2011/65/EU



CONFIGURATIONS

C-USB3/AB-3 (COLOR IS BLUE) USB 3.0 A (M) to B (M) Cable USB 3.0 A (M) to B (M) Cable
$C_{\rm e}$ USB3/AB-6 USB 3.0.4 (M) to B (M) Cable
(COLOR IS BLUE)
C-USB3/AB-10 USB 3.0 A (M) to B (M) Cable (COLOR IS BLACK)
C-USB3/AB-15 USB 3.0 A (M) to B (M) Cable (COLOR IS BLACK)